



Latvia University  
of Life Sciences  
and Technologies



**PTF**  
Pārtikas tehnoloģijas fakultāte

ISSN 2255-9817

**Latvia University of Life Sciences and Technologies  
Faculty of Food Technology**

**FOODBALT 2019 13th Baltic Conference on  
Food Science and Technology  
“FOOD. NUTRITION. WELL-BEING.”**

**Conference Proceedings**

**Jelgava  
May 2-3, 2019**

## Conference Organizers

**Conference Chair** **Martins Sabovics**, Latvia University of Life Sciences and Technologies, LV

### Editorial Board

**Evita Straumite**, Latvia University of Life Sciences and Technologies, LV

**Inga Ciprovica**, Latvia University of Life Sciences and Technologies, LV

**Ruta Galoburda**, Latvia University of Life Sciences and Technologies, LV

**Raquela Guine**, Polytechnic Institute of Viseu, PT

**Jorg Hampshire**, Fulda University of Applied Sciences, DE

**Ivi Joudu**, Institute of Veterinary Medicine and Animal Sciences, Estonia University of Life Sciences, EE

**Grazina Juodeikiene**, Kaunas University of Technology, LT

**Daina Karklina**, Latvia University of Life Sciences and Technologies, LV

**Huub Lelieveld**, GHI President, EHEDG and EFFoST Executive committee, NL

**Viktor Nedovic**, University of Belgrade, RS

**Mark Shamtsyan**, St. Petersburg State Institute of Technology, Technical University St. Petersburg, RU

**Ievina Sturite**, Norwegian Institute of Bioeconomy Research, NIBIO, NO

**Thierry Talou**, National Polytechnic Institute of Toulouse, FR

**Petras Rimantas Venskutonis**, Kaunas University of Technology, LT

**Erkan Yalcin**, Abant Izzet Baysal University, TR

### Organising Committee

**Zanda Kruma**, Latvia University of Life Sciences and Technologies, LV

**Dace Klava**, Latvia University of Life Sciences and Technologies, LV

**Sandra Muizniece-Brasava**, Latvia University of Life Sciences and Technologies, LV

**Asnate Kirse-Ozolina**, Latvia University of Life Sciences and Technologies, LV

**Evita Straumite**, Latvia University of Life Sciences and Technologies, LV

Editors-in-chief and responsible

compilers of Conference Proceedings – **Evita Straumite** and **Ruta Galoburda**

Dear participants,

The FOODBALT 2019 13th Baltic Conference on Food Science and Technology “Food. Nutrition. Well-Being” joined with 5th North and East European Congress on Food “NEEFood 2019” is organized by the Faculty of Food Technology on 2nd to 3rd May, 2019 in the Latvia University of Life Sciences and Technologies (LLU). The conference is a representation of the multidisciplinary, transdisciplinarity and interdisciplinarity of food science, technology and experiential knowledge. It brought together food scientists, researchers as well as students from different countries, promoting the dissemination of new knowledge and allowing to exchange the latest research results in the area of food science and technology. -

The conference attracted more than 110 delegates from 13 countries. The conference programme contains 4 Key lectures, 37 oral and 18 e-poster presentations in 7 sessions. Additionally, a total of 68 posters are presented. The conference call accepted papers from a range of different topics: Health-relevant food products and issues, Quality and safety of processed foods, Trends in new food product and technology development, Food chemistry, analysis and quality assessment, Food material/packaging interaction, Sustainable processing and packaging, Consumer behaviour and sensory issues, Food chain management (raw materials, logistics, economics, information systems, etc.). The conference Organising Committee received 61 full paper submissions from 7 countries. A peer review process was enforced with the help of 45 food and related sciences experts from 8 different countries. Totally, 3 reviews, 40 original papers and 10 short communications were selected for publishing.

The conference could not be realized without the vital contribution of the participants who present research papers in the sessions or posters. Your participation is invaluable for both us and the conference as a whole. The Organizing Committee hope that you will find the presentations valuable, stimulating and interesting for your scientific activities. Also, we are convinced that your stay in Jelgava will be educational, scientific and socially beneficial.

The chair of the joined FOODBALT 2019 13th Baltic Conference on Food Science and Technology and 5<sup>th</sup> North and East European Congress on Food “NEEFood 2019

Dr.sc.ing. Martins Sabovics

## CONTENTS

### REVIEWS

<b>Ilze Laukaleja, Zanda Kruma</b> INFLUENCE OF THE ROASTING PROCESS ON BIOACTIVE COMPOUNDS AND AROMA PROFILE IN SPECIALTY COFFEE: A REVIEW.....	7
<b>Ilze Kalnina, Evita Straumite</b> A REVIEW– EFFECT OF SALT ON THE SENSORY PERCEPTION OF SNACKS.....	13
<b>Evalds Raitis, Asnate Kirse-Ozolina</b> MODERN DIETARY PATTERNS BASED ON TERRITORIAL ORIGIN – A REVIEW.....	19

### ORIGINAL PAPERS

<b>Liva Aumeistere, Inga Ciprova, Dace Zavadska, Konstantins Bavrins, Anastasija Borisova</b> ESSENTIAL ELEMENTS IN MATURE HUMAN MILK.....	25
<b>Raquel P. F. Guine, Luisa Fontes, Maria Joao Lima</b> EVALUATION OF COLOUR IN SERRA DA ESTRELA CHEESE PRODUCED IN DIFFERENT DAIRIES ALONG THE MILKING SEASON.....	30
<b>Kristine Zolnere, Inga Ciprova</b> LACTOSE HYDROLYSIS IN DIFFERENT SOLIDS CONTENT WHEY AND MILK PERMEATES.....	35
<b>Jamshidbek Khabibullaev, Jelena Zagorska, Ruta Galoburda, Ingmars Cinkmanis</b> RHEOLOGICAL PROPERTIES OF LACTOSE-FREE YOGHURT IN RELATION TO ENZYME CONCENTRATIONS.....	40
<b>Svetlana Baltrukova, Jelena Zagorska, Indra Eihvalde</b> EVALUATION OF MICROBIOLOGICAL QUALITY OF COLOSTRUM.....	45
<b>Ekaterina Antontceva, Tatyana Belyakova, Lyudmila Zabodalova, Mark Shamtsyan</b> FORTIFICATION OF YOGURT WITH $\beta$ -GLUCANS FROM OYSTER MUSHROOM.....	50
<b>Asnate Kirse-Ozolina</b> COMPARISON OF FREE-RANGE, BARN AND CAGED HENS' EGGS COMMERCIALY AVAILABLE IN LATVIA.....	55
<b>Ilze Gramatina, Raitis Krasnobajs, Liga Skudra, Sanita Sazonova</b> CHANGES OF PHYSICAL PARAMETERS OF MEAT DURING WET AGEING.....	61
<b>Elita Aplocina, Evita Straumite, Ruta Galoburda, Daina Kairisa</b> EFFECT OF FEEDING ON THE SENSORIAL QUALITY OF LAMB AND GOAT KID MEAT.....	66
<b>Sandra Muizniece-Brasava, Asnate Kirse-Ozolina, Ilze Gramatina, Inga Ciprova, Andrey Gorbatovskiy, Sanita Sazonova, Evita Straumite, Zanda Kruma, Martins Sabovics, Daiga Kunkulberga, Janina Kivite, Tatjana Kince, Jelena Zagorska</b> INNOVATIVE STRUCTURED FISH MEAT PRODUCTS FROM BALTIC SPRAT ( <i>SPRATTUS SPRATTUS BALTICUS</i> ).....	72
<b>Janis Ozolins, Irina Pilvere, Aleksejs Nipers, Mihails Silovs, Liga Proskina, Olga Dmitrijeva</b> ECONOMIC BASE SCENARIO ASSESSMENT OF INNOVATIVE PRODUCT MANUFACTURING FROM BALTIC SEA SPRATS ( <i>SPRATTUS SPRATTUS BALTICUS</i> ).....	77
<b>Derya Ilkay Abdikoglu, Gokhan Unakitan</b> DETERMINING IMPORTANT FACTORS ON FISH CONSUMPTION WITH CONJOINT ANALYSIS IN TEKIRDAG, TURKEY.....	83
<b>Daiga Kunkulberga, Anda Linina, Antons Ruza</b> EFFECT OF NITROGEN FERTILIZATION ON PROTEIN CONTENT AND RHEOLOGICAL PROPERTIES OF WINTER WHEAT WHOLEMEAL.....	88

<b>Ingrida Augspole, Anda Linina, Anda Rutenberga-Ava, Agrita Svarta, Vija Strazdina</b> EFFECT OF ORGANIC AND CONVENTIONAL PRODUCTION SYSTEMS ON THE WINTER WHEAT GRAIN QUALITY.....	93
<b>Vita Sterna, Daiga Kunkulberga, Evita Straumite, Katrina Bernande</b> NAKED BARLEY INFLUENCE ON WHEAT BREAD QUALITY.....	98
<b>Zanda Kruma, Tatjana Kince, Ruta Galoburda, Lolita Tomsonė, Evita Straumite, Martins Sabovics, Ievina Sturite, Arta Kronberga</b> INFLUENCE OF GERMINATION TEMPERATURE AND TIME ON PHENOLIC CONTENT AND ANTIOXIDANT PROPERTIES OF CEREALS.....	103
<b>Vijole Bradauskiene, Lina Vaiciulyte-Funk, Edita Mazoniene, Darius Cernauskas</b> FERMENTATION WITH <i>LACTOBACILLUS</i> STRAINS FOR ELIMINATION OF GLUTEN IN WHEAT ( <i>TRITICUM AESTIVUM</i> ) BY-PRODUCTS.....	109
<b>Ilva Semicenkovā, Sandra Muizniece-Brasava, Asnate Kirse-Ozolina, Martins Sabovics</b> EFFECT OF TEMPERATURE CHANGES DURING TRANSPORTATION ON MUESLI QUALITY.....	115
<b>Julija Riaukaite, Loreta Basinskiene, Michail Syrpas</b> BIOCONVERSION OF WASTE BREAD TO GLUCOSE FRUCTOSE SYRUP AS A VALUE-ADDED PRODUCT.....	120
<b>Reinis Zarins, Zanda Kruma, Ilze Skrabule</b> CHANGES OF BIOLOGICALLY ACTIVE COMPOUND LEVEL IN POTATOES DURING STORAGE UNDER FLUORESCENT LIGHT.....	125
<b>Igor Sepelevs, Ilva Nakurte, Ruta Galoburda</b> BIOLOGICALLY ACTIVE COMPOUND STABILITY IN THE INDUSTRIAL POTATO PROCESSING BY-PRODUCTS.....	131
<b>Solvita Kampuse, Lolita Tomsonė, Dace Klava, Liene Ozola, Ruta Galoburda</b> THE INFLUENCE OF PROCESSING AND STORAGE CONDITIONS ON QUALITY PARAMETERS OF PUMPKIN PUREE.....	137
<b>Solvita Kampuse, Zanda Kruma, Dace Klava, Liene Ozola, Ruta Galoburda, Evita Straumite</b> THE EVALUATION OF ORGANICALLY GROWN APPLE CULTIVARS FOR SPECIAL DIET PUREE PRODUCTION.....	143
<b>Liene Ozola, Solvita Kampuse</b> MINERAL AND BIOACTIVE COMPOUND CONTENT IN PLANT-BASED PROTEIN - ENRICHED PUREES.....	149
<b>Martins Sabovics, Shakhista Ishiyazova, Lolita Tomsonė, Solvita Kampuse, Hait Tilavov, Toshtemir Ostonakulov</b> EVALUATION OF QUALITY INDICATORS FOR DRIED MELONS FROM UZBEKISTAN.....	154
<b>Liene Jansone, Solvita Kampuse</b> COMPARISON OF CHEMICAL COMPOSITION OF FRESH AND FERMENTED CABBAGE JUICE.....	160
<b>Ingrida Augspole, Tatjana Kince, Liga Skudra, Lija Dukalska</b> EFFECT OF <i>NATURESEAL</i> <sup>®</sup> AS5 AND PACKING MATERIALS ON THE MICROBIOLOGICAL QUALITY OF SHREDDED CARROTS DURING STORAGE.....	165
<b>Jonas Viskelis, Skirmantas Nevidomskis, Ceslovas Bobinas, Dalia Urbonaviciene, Ramune Bobinaite, Rasa Karkleliene, Pranas Viskelis</b> EVALUATION OF BEETROOT QUALITY DURING VARIOUS STORAGE CONDITIONS.....	170
<b>Egle Ragauskaite, Dalia Cizeikiene</b> APPLE SQUEEZE AND SUGAR BEET MOLASSES APPLICATION FOR YEAST INVERTASE PRODUCTION.....	176
<b>Jekaterina Dorozko, Daiga Kunkulberga, Irina Sivicka, Zanda Kruma</b> THE INFLUENCE OF VARIOUS DRYING METHODS ON THE QUALITY OF EDIBLE FLOWER PETALS...	182
<b>Lina Sernaite, Dalia Urbonaviciene, Ceslovas Bobinas, Pranas Viskelis</b> OPTIMISATION OF SUPERCRITICAL CARBON DIOXIDE EXTRACTION OF LIPOPHILIC EXTRACT FROM ROSEHIPS.....	188

<b>Ingmars Cinkmanis, Ingrida Augspole, Sanita Vucane, Fredijs Dimins</b> ANALYSIS OF ORGANIC ACIDS IN HERBAL AND FRUIT SYRUPS BY LIQUID CHROMATOGRAPHY.....	193
<b>Linards Klavins, Arturs Viksna, Jorens Kviesis, Maris Klavins</b> LIPIDS OF CULTIVATED AND WILD <i>VACCINIUM</i> SPP. BERRIES FROM LATVIA.....	198
<b>Baiba Ozola, Ingrida Augspole, Mara Duma</b> PIGMENTS CONTENT IN DIFFERENT PROCESSED EDIBLE WILD PLANTS.....	204
<b>Lolita Tomsonē, Zanda Kruma</b> SPECTROPHOTOMETRIC ANALYSIS OF PIGMENTS IN HORSERADISH BY USING VARIOUS EXTRACTION SOLVENTS.....	210
<b>Asnate Kirse-Ozolina, Sandra Muizniece-Brasava, Jolanta Veipa</b> EFFECT OF VARIOUS PACKAGING SOLUTIONS ON THE QUALITY OF HAZELNUTS IN NUT-DRIED FRUIT MIXES.....	216
<b>Vjaceslavs Kocetkovs, Sandra Muizniece-Brasava, Asnate Kirse-Ozolina</b> CONSUMER AWARENESS AND ATTITUDES TOWARDS ACTIVE AND INTELLIGENT PACKAGING SYSTEMS IN THE LATVIAN MARKET.....	222
<b>Jekaterina Bujaka, Rita Riekstina-Dolge</b> FOOD ALLERGY KNOWLEDGE AND PRACTICE OF RESTAURANT STAFF.....	227
<b>Zehra Meliha Tengiz, Yasemin Oraman</b> THE EVALUATION OF THE STUDENTS' ATTITUDES AND BEHAVIOR TOWARDS FAST FOOD CONSUMPTION.....	232
<b>Rita Riekstina-Dolge, Ilze Beitane, Sandra Iriste, Sabine Melbarde</b> STUDY OF FOOD WASTE AT SCHOOLS IN VIDZEME REGION.....	238
 <b>SHORT COMMUNICATIONS</b>	
<b>Maria Joao Reis Lima, Luisa Fontes, Raquel Guine</b> FAST AND GREEN METHOD FOR ANALYSIS OF SERRA DA ESTRELA CHEESE.....	243
<b>Ekaterina Gannochka, Boris Kolesnikov, Alisa Salamahina, Mark Shamtsyan</b> TECHNOLOGY OF OBTAINING MILK-CLOTTING ENZYME FROM FUNGAL CULTURE <i>FUNALIA</i> SP. FOR APPLICATION IN CHEESE PRODUCTION.....	247
<b>Inga Sarenkova, Inga Ciprova, Ingmars Cinkmanis</b> THE EFFECT OF CONCENTRATED WHEY SOLIDS ON LACTOBIONIC ACID PRODUCTION BY <i>PSEUDOMONAS TAETROLENS</i> .....	250
<b>Ramazon Samadov, Inga Ciprova, Kristine Zolnere, Ingmars Cinkmanis</b> THE OPTIMIZATION OF ACID WHEY PERMEATE HYDROLYSIS FOR GLUCOSE-GALACTOSE SYRUP PRODUCTION.....	254
<b>Liga Marcinkoniene, Inga Ciprova</b> GOAT MILK QUALITY IN THE LATE LACTATION.....	258
<b>Mara Duma, Ina Alsina, Laila Dubova, Ingrida Augspole, Ieva Erdberga</b> SUGGESTIONS FOR CONSUMERS ABOUT SUITABILITY OF DIFFERENTLY COLOURED TOMATOES IN NUTRITION.....	261
<b>Baiba Ozola, Ingrida Augspole, Mara Duma, Viesturs Kreicbergs</b> BIOACTIVE COMPOUNDS IN FRESH AND DRIED GINGER ROOT ( <i>ZINGIBER OFFICINALE</i> ).....	265
<b>Liga Skudra, Karlis Loba, Daiga Kunkulberga</b> SHELF LIFE ASSESSMENT OF MEAT PIES.....	269
<b>Ilze Beitane, Madara Nevarzavska</b> FRUIT AND VEGETABLE CONSUMPTION IN LATVIAN SCHOOLS WITH VARIOUS TRAINING PROGRAMS ON HEALTHY DIET....	273
<b>Ingrida Millere, Rita Riekstina-Dolge, Linda Medne</b> FACTORS IMPACTING THE PREPARATION OF SPECIAL DIET MEALS IN PRE-SCHOOLS OF RIGA.....	277

## SHORT COMMUNICATION

FAST AND GREEN METHOD FOR ANALYSIS OF  
SERRA DA ESTRELA CHEESEM.J. Reis Lima<sup>1\*</sup>, Luisa Fontes<sup>2</sup>, Raquel Guine<sup>1</sup><sup>1\*</sup> CI&DET and CERNAS Research Centers, Polytechnic Institute of Viseu, Viseu, Portugal, e-mail: mjoalima@esav.ipv.pt<sup>2</sup> Department of Food Industry, Agrarian School, Polytechnic Institute of Viseu, Viseu, Portugal**Abstract**

Serra da Estrela (SE) cheese is a regional product making part of the gastronomic and socio-cultural heritage of Portugal. It has several aspects that make it unique, namely the manufacturing by the coagulation of raw sheep milk using the thistle flower of *Cynara cardunculus* L., obtaining a final buttery texture with an exclusive typical flavour. The aroma compounds of Serra da Estrela cheese result partially from the action of indigenous microorganisms and enzymes on lactose, lipids and proteins. Although SE production is very ancient, there are few studies concerning its nutritional composition but nowadays consumers demonstrate interest in understanding the global composition of cheese, since it's a product highly appreciated. In the last decades, the use of near infrared spectroscopy (FT-NIR) has become comparable with those of the classical methods with representative advantages such as minimum time sample preparation; it is a green technique (without using toxic reagents) and allows multiparametric determinations. To perform the present study, a total of 24 SE cheese samples were evaluated, originated from 6 representative producers and analysed with a FT-NIR Buchi NIRMaste<sup>TM</sup> standalone spectrometer with a spectral range of 800–2500 nm and compared with classical methods. SE cheese samples were evaluated in terms of salt, moisture, protein and fat content. In all the studied samples the moisture varied between 42% and 53%, the fat content between 19.6 and 33.3%, the protein content between 18.6 and 26.7% and the salt between 0.7 and 2.2%. The results showed a significant agreement between the pairs of values obtained for the studied parameters.

**Keywords:** Serra da Estrela cheese, FT-NIR spectroscopy, moisture, protein, fat, salt.

**Introduction**

Serra da Estrela (SE) is an ewe's traditional Portuguese cheese, which production is regulated and geographically limited due to its Protected Designation of Origin (PDO) certification, which was obtained in 1985. Serra da Estrela cheese is produced from raw ewe's milk and coagulated using dried thistle flower (*Cynara cardunculus* L.). The cheese characteristics are legally defined, although many extrinsic factors (e.g., climate, nutritional and physiological status, lactation stage) may condition the milk chemical and microbiological characteristics and consequently the final cheese composition (Guiné et al., 2016). Serra da Estrela is the most known and popular Portuguese cheese, appreciated worldwide, being preferentially consumed as a soft cheese, with an average maturation of 30–45 days, although some consumers prefer to consume it as a hard cheese after at least 6 months of storage (Carocho et al., 2015; Carocho et al., 2016, Partidário et al., 1998; Macedo, Malcata, 1996).

The FT-NIR spectroscopy method has recently become widely used in dairy industry and food science laboratory control because it allows multiparametric applications and has the advantage of not requiring chemical reagents and minimizing sample preparation. It operates in most phases of the dairy value chain, starting in farms with fresh milk to assess the product's composition value, before and during processing for process control and in final products to ensure the required specifications (Holroyd, 2017). Non-translucent materials such as cheese are analysed via diffuse reflection. The NIR light penetration is limited by the sample material, interacts with the sample and is refracted and reflected into the sensor. The reflected rays contain the spectral information of the

sample (Burns, Ciureczak, 2008). It is well established that fat, moisture and protein composition of cheese can be measured successfully using NIR spectroscopy (Holroyd, 2011).

The classical methods used in the determinations of fat and protein in food have numerous disadvantages, like being time and energy consuming, having limited sample throughput and leading to possible harmful effects on the environment, because of the large amount of chemicals required.

Besides quality control in large scale in milk products' processing, NIR spectroscopy has also been used to detect adulterants in foods (determination of melamine in infant milk powder formula (Scholl et al., 2017)), for the discrimination of cheese adulterations (goat cheeses with cow's milk (Dvorak et al. 2016)) and also in food authentication like the detection of Tyrol cheese (Huck-Pezzei et al., 2014) or Parmigiano Reggiano cheese (Cevoli et al., 2013), among others.

This study intended to compare FT-NIR technique with classical methods in the quantification of major components of SE cheese using a broad-based calibration previously readjusted with samples of SE cheese.

**Materials and Methods**

The nutritional characteristics of 24 Serra da Estrela cheese samples originated from 6 representative cheese producers of the PDO region were analysed. Samples of cheese of each producer, with approximately 45 days of maturation, were collected in refrigerated boxes and about 1.5 cm of the rind was removed to provide a surface that represented its interior and a slice of about 100 g was placed in a flat-bottom glass cuvette and analysed, in triplicate. Spectra were recorded on

NIRMaster™ spectrophotometer from Buchi NIRsolutions™ (Flawil, Switzerland) equipped with a polarisation interferometer with TeO<sub>2</sub> wedges, an extended range InGaAs detector (temperature controlled) working in diffuse reflectance with a spectral range of 800–2500 nm (resolution: 8 cm<sup>-1</sup>) combined with NIRWare™ software package, also from Buchi NIRsolutions.™ A blank signal was previously obtained with external reference Spectralon®. The internal background was measured with a gold plate reflector. The classical methods of analysis were conducted in duplicate, in an external laboratory. Moisture was determined by drying at 105 °C until constant weight. Fat was analysed by the Van Gulik method, total protein was calculated by the Dumas method and salt (NaCl) was calculated through the content in sodium, determined by flame atomic absorption spectroscopy. The data was analysed using Statistical Package for Social Sciences (SPSS version 25.0). The accuracy and precision of the regression lines obtained were verified by t-test for comparison of the means of paired samples and linear regression. Cook’s Distance (Di) was used to detect outliers by the rule that Di>4/n (n: number of samples) is an outlier. Those values were analysed before elimination.

**Results and Discussion**

Starting with 24 samples of SE cheese, 3 outliers were removed after previous analysis of the adjustment of the regression: 1 in moisture and 2 in protein. Mean values of major constituents of SE cheese determined by FT-NIR and by classical methods are presented in Table 1. In the samples studied, the moisture varied between 41.7 and 56.4%, the fat content between 16.6 and 35.5%, the protein content between 18.1 and 25.5% and the salt between 0.6 and 3.0% (Table 1).

Table 1

**Parameters determined by FT-NIR and classical methods in the samples of SE cheese**

Parameters (%)	FT-NIR		Ext Lab	
	x±sd	VR	x±sd	VR
Moisture	48.78±2.92	42.97 52.61	49.02±3.69	41.70 56.40
Fat	24.21±4.49	16.64 33.33	24.40±4.59	17.10 35.50
Protein	20.99±1.60	18.55 25.19	20.39±1.71	18.10 25.50
Salt	1.17±0.34	0.63 2.21	1.79±0.39	1.27 3.00

x±sd – arithmetic mean ± standard deviation; VR – variation range, from minimum to maximum; FT-NIR – near infrared technology; Ext Lab – external laboratory

Fox *et al.* (2017) presented similar contents with mean values of 48.7% of moisture, 27.5% of fat content, 21.3% of total protein and 1.9% of salt. Carochio *et al.* (2016), Ramos and Juarez (2011) and Associação Portuguesa de Nutrição (2018) obtained similar results.

The relations between classical methods and FT-NIR method for the monitored SE cheese components are shown in Table 2. The regression lines of all measured quantities are shown in Figures 1 and 2. The obtained correlation coefficients for all components of SE cheese were statistically significant (p<0.001).


Table 2

**Expression of the relationship between FT-NIR and classical methods in moisture, fat, crude protein and salt of SE cheese samples**

Parameters	R <sup>2</sup>	r	Slope	Intercept	SEP (%)
Moisture	0.639	0.800	0.639	17.79	1.79
Fat	0.934	0.966	0.988	0.47	1.18
Protein	0.913	0.956	1.021	-1.05	0.48
Salt	0.869	0.932	1.077	0.53	0.13


p<0.001 for all correlations (r); R<sup>2</sup> – determination coefficient; r – correlation coefficient; FT-NIR – near infrared technology; SEP – standard error of prediction

The reliability and precision of the NIR measurement method was quite satisfactory for protein and fat content as the R<sup>2</sup> resultant of the linear regression was greater than 0.90 (Table 2 and Figure 1).



**Figure 1. The relationship between classical methods and indirect method (FT-NIR) for SE cheese protein and fat determinations**

Similar results were obtained by Adamopoulos et al. (2001) in Greek feta cheeses, with medium values of  $R^2=0.952$  and  $0.956$  for protein and fat, respectively. On the other end, moisture showed a low determination coefficient of  $0.64$  and a slope and intercept ( $0.639$  and  $17.79$ , respectively) far from the ideal curve  $y=1x+0$  (slope of  $1$  and intercept of  $0$ ), showing a poor correlation between data obtained from NIR and classical analysis. Also, standard error of prediction (SEP) was quite high indicating that the predicted values didn't quite match the values obtained by the classical methods (Table 2 and Figure 2).



**Figure 2. The relationship between classical methods and indirect method (FT-NIR) for SE cheese protein and fat determinations**

The salt content regression noticed a good slope and intercept of  $1.077$  and  $0.53$ , respectively, and a good SEP of  $0.13$ , but at the same time showed a deterioration of the determination coefficient ( $0.869$ ) indicating a poorer relation between values predicted by NIR and classical analysis (Table 2 and Figure 2).

### Conclusions

Broad-based calibration, such as the one that Buchi NIRMaste<sup>TM</sup> holds and was used in this study, presents some benefits including increased robustness and reliability. However, some parameters such as moisture and salt content of Serra da Estrela cheese samples may need broader adjustment of the FT-NIR calibration

model, by increasing classical methods (reference) and NIR sample analysis.

### Acknowledgment

This work was prepared in the ambit of the project approved and financed by FCT with reference 02/SAICT/2016/23290, intitled “QClasse: Caracterização e Valorização da autenticidade do QSE DOP e sua vocação para a promoção da Saúde”.

### References

- Adamopoulos K.G., Goula A.M., Petropakis H.J. (2001) Quality control during processing of Feta cheese - NIR application. *Journal of Food Composition and Analysis*, Vol. 14, p. 431–440.
- Associação Portuguesa de Nutrição. (2018). *Queijos Dos Frescos aos Curados*. Associação Portuguesa de Nutrição. [accessed on 06.03.2019.]. Available at: [http://www.apn.org.pt/documentos/ebooks/e-book\\_queijo\\_8.pdf](http://www.apn.org.pt/documentos/ebooks/e-book_queijo_8.pdf)
- Burns D.A., Ciurczak E.W. (2008) *Handbook of near-infrared analysis* (3rd ed.). [accessed on 06.03.2019.]. Available at: <https://www.crcpress.com/Handbook-of-Near-Infrared-Analysis/Burns-Ciurczak/p/book/9780849373930>
- Carocho M., Barreira J.C.M., Antonio A.L., Bento A., Morales P., Ferreira I.C.F.R. (2015) The incorporation of plant materials in ‘Serra da Estrela’ cheese improves antioxidant activity without changing the fatty acid profile and visual appearance. *European Journal of Lipid Science and Technology*, Vol. 117(10), p. 1607–1614.
- Carocho M., Barros L., Barreira J.C.M., Calhella R.C., Soković M., Fernández-Ruiz V., Buelga C.S., Morales P., Ferreira I.C.F.R. (2016) Basil as functional and preserving ingredient in ‘serra da Estrela’ cheese. *Food Chemistry*, Vol. 207, p. 51–59.
- Cevoli C., Gori A., Nocetti M., Cuiibus L., Caboni M.F., Fabbri A. (2013) FT-NIR and FT-MIR spectroscopy to discriminate competitors, non compliance and compliance grated Parmigiano Reggiano cheese. *Food Research International*, Vol. 52(1), p. 214–220.
- Dvorak L., Mlcek J., Sustova K. (2016) Comparison of FT-NIR spectroscopy and ELISA for detection of adulteration of goat cheeses with cow's milk. *Journal of AOAC International*, Vol. 99(1), p. 180–186.
- Fox P.F., Guine T.P., Cogan T.M., McSweeney P.L.H. (2017) *Fundamentals of Cheese Science. Fundamentals of Cheese Science, Second Edition*. Boston, MA: Springer US, 799 p.
- Guiné R.P.F., Tenreiro M.I.C., Correia A.C., Correia P.M.R., Barracosa P. (2016) Analysis of factors influencing the physical, chemical and sensorial properties of Serra da Estrela cheeses. *Journal of Food Measurement and Characterization*, Vol. 10(3), p. 643–657.
- Holroyd S. (2011) NIR analysis of cheese - a Fonterra perspective. *NIR News*, Vol. 22(6), p. 9–11.
- Holroyd S. (2017) The use of NIRS in the dairy industry: New trends and applications. *NIR News*, Vol. 28(8), p. 22–25.
- Huck-Pezzei V.A., Seitz I., Karer R., Schmutzler M., De Benedictis L., Wild B., Huck C.W. (2014) Alps food authentication, typicality and intrinsic quality by near infrared spectroscopy. *Food Research International*, Vol. 62, p. 984–990.
- Macedo A.C., Malcata F.X. (1996) Changes in the major

- free fatty acids in Serra cheese throughout ripening. *International Dairy Journal*, Vol. 6(11–12), p. 1087–1097.
14. Partidário A.M., Barbosa M., Boas L.V. (1998) Free fatty acids, triglycerides and volatile compounds in Serra da Estrela cheese - Changes throughout ripening. *International Dairy Journal*, Vol. 8(10–11), p. 873–881.
15. Ramos M., Juarez M. (2011) Milk | Sheep Milk. **In:** *Encyclopedia of Dairy Sciences*. Vol. 3. 2nd ed. Fuquay J.W., Fox P.F., McSweeney P.L.H. (eds). London: Elsevier, p. 494–502.
16. Scholl P.F., Bergana M.M., Yakes B.J., Xie Z., Zbylut S., Downey G., Mossoba M., Jablonski J., Magaletta R., Holroyd S.E., Buehler M., Qin J.O, Hurst W., LaPointe J.H., Roberts D., Zrybko C., Mackey A., Holton J.D., Israelson G.A., Payne A., Kim M.S., Chao K., Moore J.C. (2017) Effects of the adulteration technique on the near-infrared detection of melamine in milk powder. *Journal of Agricultural and Food Chemistry*, Vol. 65(28), p. 5799–5809.